Mattress Warranty

Please print this form and mail the completed form and pictures to:

Furniture & ApplianceMart Attn: Mattress Warranty Claims 2917 Business Park Dr. Stevens Point, WI 54482

(We will submit the forms to the manufacturer for review)

Required fields are marked with an asterisk*.

File a Claim

*First Name:

* Last Name:

* Address:

* City:

*State:

* Zip:

* Phone:

* Email:

Sales Information

*Sales Order #:

*Located on your statement *Name Of Bed:

*Usually found on label or law tag *Warranty Code:

*Usually found on label or law tag *Model Number:

*Manufactured Date:

*Usually found on the bottom of the law tag (ie: W8)

Mattress Information

Select one of the following sizes:

- \supseteq Twin
- \supseteq Twin Xtra Long
- \supseteq Full
- \supseteq Queen (1 foundation)
- \supseteq Queen (Split Box)
- \supseteq King (76 x 80) (split box)
- \supseteq California King (72 x 84) (split box)






Select one of the following:

- ♦ Firm (FM)
- \diamond Euro Top (ET)
- ♦ Super Pillow Top-Soft (SPT-S)
- ♦ Plush (PS)
- ♦ Ultra Cushion Top (UCT)
- ♦ Plush-Super Pillow Top (PS-SPT)

Mattress Frame Information

What type of frame do you have?

- ♦ Cushion Firm (CF)
- ♦ Super Pillow Top (SPT)
- ♦ Super Pillow Top-Firm (SPT-F)
- ♦ Pillow Top (PT)
- ◊ Plush-Euro Top (PS-ET)



Center support with a leg: Yes / No How many legs:



Slats: Yes / No How many slats:

Select all conditions that may apply to your mattress and add any additional comments:

- ⊇ Stains
- \supseteq Torn
- \supseteq Quilt Stitching
- ⊇ Tape Edge Unsown
- \supseteq Dips of Bends around Perimeter
- \supseteq Coil/ Wire Out
- \supseteq Impressions
- \supseteq Other (please explain)

Picture Information

Manufacturer's require that pictures be taken of the mattress and submitted with the above form:

- Image 1: A wide shot of the top of the mattress.
- Image 2: A wide shot of the mattress with the measuring equipment in place.
- Image 3: A close up showing the measurement.



How to measure:

Materials Needed:

String longer than the mattress is wide Weights to tie to each end of the string Ruler

1.5 inch thick piece of wood

Sagging mattress: Use a string with a weight tied to each end.

- 1. Place the piece of wood in the sagging area
- 2. Drape the weighted string across the center of the sag with the wood in place
- 3. Take a close up photo of the block and string on the bed and a wide shot

Bulging mattress: You will need the wood block and a ruler

- 1. Place the block against the side of the mattress under the sagging area.
- 2. Place a ruler against the sag and over the block to measure the sag.
- 3. Take a close up picture of the measurement.

